

TekA Step Extra Heavy Duty Mobile **Safety Steps 500kg Capacity**

The TekA Step Industrial Extra Heavy Duty Warehouse Ladders are fully welded using sturdy 25mm steel tube and plate and are finished in a highly durable powder coat making these steps both robust and attractive. The TekA Step mobile safety steps are Extra Heavy Duty and manufactured from heavy duty steel tube & components, these warehouse steps are sturdy and super stable, giving the user that extra confidence and peace of mind when working at height. The Steel Safety steps have a certified massive safe working load capacity of 500 Kg. A choice of 2 colours are available.

With a range of platform heights and number of treads from 5 to 16, the TekA Step Heavy Duty Mobile Safety Steps are the perfect solution for all construction, retail, commercial, office, warehouse and industrial applications.

A wide range of optional extras to match the warehouse steps with your requirements are available from the drop down boxes such as extra deep platforms. All platform gates, bars and L&R Chains, will add an extra 200mm to the platform depth.

****We can offer a platform height modification if you require a size that is not available as standard on the dropdown list. Please use the dropdown to select the size slightly over your required size (eg. required size 2100mm - choose 2286mm) and add the Platform Height Modification from Optional Extras dropdown then quote the size you require in the notes section on the payment page.**

Standard Platform Size W x D: 559x400mm



Heavy Duty Mobile Safety Steps **Specification Sheet**

Code	Platform Height mm	Overall Dimensions HxWxD mm	Treads
TS3550	1270	2184x787x1180	5
TS3560	1524	2438x813x1300	6
TS3570	1778	2692x864x1500	7
TS3580	2032	2946x889x1650	8
TS3590	2286	3200x914x1850	9
TS35100	2540	3454x991x2050	10
TS35110	2794	3708x1067x2150	11
TS35120	3048	3962x1143x2350	12
TS35130	3302	4216x1219x2500	13
TS35140	3556	4470x1245x2650	14
TS35150	3810	4724x1270x2800	15
TS35160	4064	4978x1295x3000	16

Specifications :

All Welded steel construction

Punched metal treads

Hand rails either side of steps and 950mm over platform

Kick plate as standard on 7 treads and over

Hand lever locking bar to mobilise unit

Rubber tyred wheels and nylon castors

Rubber covered feet

Step width 559mm

Step rise: 250mm

Standard Platform Size (without options) W x D: 559x400mm

Certified Load capacity: 500kg



PEGASUS MECHANICAL LIFTING

30 CENTRAL STREET, LEICESTER, LE1 4JT

TEL: 0116 2537411 FAX: 0116 2539751

email: sales@pegasuslifting.co.uk web: www.pegasuslifting.co.uk



LOAD TEST REPORT

This report does not authorise the equipment to be put into service. An EC Declaration of Thorough Examination May Be Required

Report Number	48825
Job Number	--
Customer Order Number	--

Report Prepared by	Mark Cluley
Date of Report	07/03/2019

Customer
INDUSTRIAL PRODUCTS ONLINE LTD

Test Location
Pegasus Mechanical Lifting 30 Central Street Leicester LE1 4JT

Test Details

ID No.	DESCRIPTION OF ITEM	QTY	SWL	PROOF LOAD
TS35 TS58 TS38 TS44 TS45	STEPS	5	300KG	450KG

Description Of The Tests Applied

450KG PROOF LOAD APPLIED USING HAND WEIGHTS

Results Of The Test Identifying Any Defect

TESTS COMPLETED SATISFACTORY WITH NO DEFECTS RECORDED.

Witnessed by Company Approved
and Qualified Examiner

thomas allen

Authenticated by

S Platts



LOAD TEST